



Charger Specifications:

Cell Chemistry:	Rechargeable Nickel Metal Hydride (NiMH) and NiCd
Cell Size and Quantity:	2 or 4 AA or AAA (Paired)
Approximate Dimensions:	109L x 68W x 27H (mm)
Approximate Weight:	140 grams
Housing:	PC-ABS
Ave. Main Charge Current:	AA 160mA (±20%)
(Pulsating DC)	AAA @ 70mA (±20%)
Operating Temperature Range:	10°C to 40°C
Input:	Swinging Retractable Blade
Internal Power Supply:	Yes
Input Voltage/Frequency:	120VAC, 60 Hz

Charge Times:

SIZE	Battery Capacity (mAh)	Charge Time (Hrs.)
AA	1400	10
AA	1900	13
AA	2100	15
AAA	800	13
AAA	1000	16

LED Functions:


When AA/AAA batteries are placed in the charger, two Green LEDs will light up indicating proper charging

LED Status:

ON: Charge cycle in progress.

Off: No cell inserted or no AC power present

Cell Alignment:



Environmental: Meets Environmental Protection Agency (EPA) Requirements for landfill disposal. No Mercury Added Formulation

Notice: Information within this document are specific to product at the time of publication. Contents Herein do not constitute a warranty